



according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Product code: 1151 Revision date: 03.11.2021 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

medicalprint® shell beige 2.0

V511-519A-5001-XYQJ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Ligth curing one component material for the fabrication of earmoulds.

1.3. Details of the supplier of the safety data sheet

Company name: DETAX GmbH & Co. KG Street: Carl-Zeiss-Straße 4 Place: D-76275 Ettlingen +49 7243/510-0 Telephone:

Telefax: +49 7243/510-100

e-mail: post@detax.de Internet: www.detax.de Responsible Department: Emergency number:

+49 7243/510-0

This number is only obtainable during office hours (Monday - Thursday 8.00 a.m.

- 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)

+49 7243/510-0 1.4. Emergency telephone

This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. number:

- 5.00 p.m., Friday 8.00 - 4.00 p.m.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1A

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements: Causes skin irritation. Causes serious eve irritation. May cause an allergic skin reaction. May cause respiratory irritation.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

isopropylidenediphenol peg-2 dimethacrylate

Urethane Dimenthacrylate

2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester

Tricyclodecane dimethanol diacrylate

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

2-hydroxyethyl methacrylate

2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate

aliphatic urethane acrylate

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Warning Signal word:



according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 2 of 13

Pictograms:





Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with local and national regulations.

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.



according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 3 of 13

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
41637-38-1	isopropylidenediphenol peg-2 dime		30 - < 35 %		
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1A, STOT SE 3; H315 H319 H317 H	1335		
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-diox	an-5-yl)methyl ester		15 - < 20 %	
	266-380-7				
	Skin Irrit. 2, Skin Sens. 1, Aquatic	Chronic 2; H315 H317 H411			
72869-86-4	Urethane Dimenthacrylate			15 - < 20 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	1, STOT SE 3; H315 H319 H317 H3	335		
42594-17-2	Tricyclodecane dimethanol diacryla	ate		10 - < 15 %	
	255-901-3		01-2120051112-76		
	Skin Sens. 1B, Aquatic Chronic 2;				
41637-38-1	isopropylidenediphenol peg-2 dime	ethacrylate		5 - < 10 %	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.	335			
2143103-44-8	aliphatic urethane acrylate		1 - < 5 %		
	944-336-4		01-2120266262-60		
	Skin Sens. 1B, Aquatic Chronic 3;				
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)ph		1 - < 5 %		
	278-355-8	015-203-00-X			
	Repr. 2, Skin Sens. 1B, Aquatic Ch	ronic 2; H361f H317 H411			
868-77-9	2-hydroxyethyl methacrylate			< 1 %	
	212-782-2	607-124-00-X			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.				
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acr	ylate, trimethylolpropane triacrylate		< 1 %	
	239-701-3	607-111-00-9			
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. H410	1, Aquatic Acute 1, Aquatic Chronic	1; H315 H319 H317 H400		
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-		< 1 %		
	423-340-5	015-189-00-5	01-2119489401-38		
	Skin Sens. 1, Aquatic Chronic 4; H317 H413				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.





according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 4 of 13

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

DETAX GmbH & Co. KG



Safety Data Sheet

according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 5 of 13

Hints on joint storage

Keep away from spontaneous flammable or combustible substances.

Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

7.3. Specific end use(s)

Ligth curing one component material for the fabrication of earmoulds.

For use by trained specialist staff.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid: Colour: beige

Odour: faintly like esters

Test method

pH-Value: not determined

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: not determined

Flash point: >100 °C DIN 51755

Flammability

Solid: not applicable

DETAX GmbH & Co. KG



Safety Data Sheet

according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 6 of 13

Gas: not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits: not determined Upper explosion limits: not determined

Auto-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: >=190 °C

Oxidizing properties

Not oxidizing.

Vapour pressure: <1 hPa

(at 20 °C)

Density (at 20 °C): 1,09 g/cm³ DIN 51757

Water solubility: insoluble

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reacts with: strong oxidising agents, strong alcaline or acidic materials.

10.4. Conditions to avoid

Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82°F .

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 7 of 13

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester							
	oral	LD50 mg/kg	>2000	Rat				
	dermal	LD50 mg/kg	2000	Rat				
42594-17-2	Tricyclodecane dimethan	ol diacrylate						
	oral	LD50 mg/kg	>2000	Rat	OECD 423			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			
2143103-44- 8								
	oral	LD50 mg/kg	>5000	Ratte	Lieferanten-Sicherheit sdatenblatt	OECD 401		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide							
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
868-77-9	2-hydroxyethyl methacrylate							
	oral	LD50 mg/kg	5050	Rat				
	dermal	LD50 mg/kg	>3000	Rabbit				
15625-89-5	2,2-bis(acryloyloxymethy	l)butyl acrylat	e, trimethylo	olpropane triacrylate				
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>2000	Rat				
162881-26-7	phenyl bis(2,4,6-trimethyl	benzoyl)-pho	sphine oxid	e				
	oral	LD50 mg/kg	>2000	Rat	OECD 401			
	dermal	LD50 mg/kg	>2000	Rat	OECD 402			

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (isopropylidenediphenol peg-2 dimethacrylate; 2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester; Urethane Dimenthacrylate; Tricyclodecane dimethanol diacrylate;

isopropylidenediphenol peg-2 dimethacrylate; aliphatic urethane acrylate;

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide; 2-hydroxyethyl methacrylate; 2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate; phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation. (isopropylidenediphenol peg-2 dimethacrylate)





according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 8 of 13

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 9 of 13

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
66492-51-1	1 2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester							
	Acute fish toxicity	LC50	4 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50	34 mg/l	72 h	Desmodesmus subspicatus.			
	Acute crustacea toxicity	EC50	20 mg/l	48 h	Daphnia magna (Big water flea)			
	Acute bacteria toxicity	(>1,000	mg/l)	3 h	Activated sludge			
12594-17-2	Tricyclodecane dimethan	ol diacrylate)					
	Acute fish toxicity	LC50 mg/l	1,65	96 h	Brachydanio rerio (zebra-fish)	OECD 203		
	Acute algae toxicity	ErC50	1,6 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201		
	Acute crustacea toxicity	EC50 mg/l	2,36	48 h	Daphnia magna (Big water flea)	OECD 202		
2143103-44- 8	aliphatic urethane acrylate							
	Acute fish toxicity	LC50	18 mg/l	96 h	Oncorhynchus mykiss	Lieferanten-SDB	OECD 203	
	Acute crustacea toxicity	EC50 mg/l	15.9	48 h	Daphnia magna	Lieferanten-SDB	OECD 202	
	Acute bacteria toxicity	(25.4 mg	g/l)		Pseudokirchneriella subcapitata	Lieferantern-SDB	OECD 201	
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide							
	Acute algae toxicity	ErC50 mg/l	>2,01	72 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia magna (Big water flea)			
	Acute bacteria toxicity	(>1000 r	mg/l)	3 h	Activated sludge			
868-77-9	2-hydroxyethyl methacryl	ate						
	Acute fish toxicity	LC50	227 mg/l	96 h	Pimephales promelas			
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acryla	ate, trimethylo	olpropane	e triacrylate			
	Acute algae toxicity	ErC50 mg/l	4,86	96 h	Desmodesmus subspicatus.			
	Acute crustacea toxicity	EC50 mg/l	19,9	48 h	Daphnia magna (Big water flea)			
162881-26-7	phenyl bis(2,4,6-trimethyl	benzoyl)-ph	osphine oxid	е				
	Acute fish toxicity	LC50 mg/l	>0,09	96 h	Brachydanio rerio (zebra-fish)	OECD 203		
	Acute algae toxicity	ErC50 mg/l	>0,26	72 h	Desmodesmus subspicatus.	OECD 201		
	Acute crustacea toxicity	EC50 mg/l	>1,175	48 h	Daphnia magna (Big water flea)	OECD 202		
	Crustacea toxicity	NOEC mg/l	>0,008	21 d	Daphnia magna (Big water flea)	OECD 211		
	Acute bacteria toxicity	(>100 m	ıg/l)	3 h	OECD 209			

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 10 of 13

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-	-			
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester					
	Evidence for inherent biodegradability.	28%	28			
42594-17-2	Tricyclodecane dimethanol diacrylate					
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	28%	28			
	Not readily biodegradable (according to OECD criteria)					
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide					
		0-10%	28			
	Not readily biodegradable (according to OECD criteria	a)				
868-77-9	2-hydroxyethyl methacrylate					
	84	%	28			
	Leicht biologisch abbaubar					
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate					
		86%	28			
	Readily biodegradable (according to OECD criteria).					
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide					
	CO2 formation (% of the theoretical value).	1%	29			
	Not readily biodegradable (according to OECD criteria	a)				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
66492-51-1	2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester	1,9
42594-17-2	Tricyclodecane dimethanol diacrylate	4,64
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1
868-77-9	2-hydroxyethyl methacrylate	0,47
15625-89-5	2,2-bis(acryloyloxymethyl)butyl acrylate, trimethylolpropane triacrylate	0,67
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	5,8

BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide		Cyprinus carpio (Common Carp)	
162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	<5	Cyprinus carpio (Common Carp)	OECD 305

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods





according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 11 of 13

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Classification code:M6

Special Provisions: 274 335 375 601

Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 90
Tunnel restriction code: -

Marine transport (IMDG)

14.1. UN number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9Marine pollutant:yes

Special Provisions: 274, 335, 969

Other applicable information (marine transport)

Flash point: > 100°C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Contains: 2-Propenoic acid, (5-ethyl-1,3-dioxan-5-yl)methyl ester

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A97 A158 A197

30 kg G

Y964

Excepted quantity:

E1

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L





according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 12 of 13

IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU E2 Hazardous to the Aquatic Environment

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 3 - strongly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative



according to Regulation (EC) No 1907/2006

medicalprint® shell beige 2.0

Revision date: 03.11.2021 Product code: 1151 Page 13 of 13

RID: Regulations concerning the international carriage of dangerous goods by rail

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

@1602.B016012

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1A; H317	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)